

Journal of Power Sources 93 (2001) 302-305



www.elsevier.com/locate/jpowsour

## Subject Index of Volume 93

Laves phase alloy; Surface treatment; Nickel-rich layer (Jiansheng, C.

Alkaline batteries

Nickel electrode; Positive electrode (Freitas, M.B.J.G. (93) 163)

Alkaline secondary battery

Memory effect; Nickel–cadmium battery; Nickel–hydrogen battery; γ-Oxy-nickel hydroxide (Sato, Y. (93) 20)

Lithium-ion batteries; Cathodes; Nickel; Cobalt (Madhavi, S. (93) 156) Amorphous carbon

LiNiO2; Surface treatment; Plasma CVD; Lithium-ion battery (Endo, E. (93)87)

Amorphous Ru oxide

Carbon; Ruthenium oxide; Temperature treatment; Composites; Electroless deposition (Ramani, M. (93) 209)

Heat losses; Power output; Efficiency; Design; Material; Power degradation (Lodhi, M.A.K. (93) 32)

Pressure losses; Power output; Efficiency; Chevron radiation shields (Lodhi, M.A.K. (93) 258)

Anode-supported fuel cell

Solid oxide fuel cell; Cathode-supported fuel cell; Electrolyte-supported fuel cell; Sensitivity test (Chan, S.H. (93) 130)

Anodic Pb(II) film

Pb-Ca-Sn-Ce alloy; Lead-acid battery; Cerium (Liu, H.-T. (93) 230)

Ceramic fuel cell; LaGaO<sub>3</sub>; Electrolyte; Oxygen-ion conductivity (Kim, S. (93) 279)

Power degradation; Electrode current density (Lodhi, M.A.K. (93) 41) Batteries

Porous electrode; Ionic resistance; Linear voltammetry (Jin, X. (93) 8)

Battery simulation; Electric circuit simulation; Resistive companion modeling; Virtual test bed (Wu, B. (93) 186)

Battery simulation

Battery modeling; Electric circuit simulation; Resistive companion modeling; Virtual test bed (Wu, B. (93) 186)

Battery

Emulsion; Lithium manganese oxide; Synthesis; Discharge capacity (Lu, C.-H. (93) 14)

Cadmium batteries

Electric vehicles; Metal requirement; Lithium batteries; Sodium/nickel chloride batteries; Nickel metal hydride batteries; Lead-acid batteries (Råde, I. (93) 55)

Carbon electrode

Electron beam irradiation; Surface treatment; Lithium-ion battery (Endo, E. (93) 215)

Ruthenium oxide; Temperature treatment; Composites; Amorphous Ru oxide; Electroless deposition (Ramani, M. (93) 209)

Carbon-coated

Graphite; Lithium-ion battery (Wang, H. (93) 123)

Cathode-supported fuel cell

Solid oxide fuel cell; Anode-supported fuel cell; Electrolyte-supported fuel cell; Sensitivity test (Chan, S.H. (93) 130)

Cathodes

Lithium-ion batteries; Aluminium; Nickel; Cobalt (Madhavi, S. (93) 156) Cathodic polarization

Gd<sub>1-x</sub>Sr<sub>x</sub>MnO<sub>3</sub>; Citrate process; Solid oxide fuel cell; Electrical conductivity; Thermal expansion coefficient; Reactivity; Three-phase boundary (Yoon, H.S. (93) 1)

Ceramic fuel cell

LaGaO<sub>3</sub>; Electrolyte; Oxygen-ion conductivity; Association energy (Kim, S. (93) 279)

Ceria-salt composite ceramics

Intermediate temperature; SOFCs; Direct methanol and ethanol SOFCs; Electrical vehicle (Zhu, B. (93) 82)

Pb-Ca-Sn-Ce alloy; Lead-acid battery; Anodic Pb(II) film (Liu, H.-T. (93) 230)

Chevron radiation shields

AMTEC; Pressure losses; Power output; Efficiency (Lodhi, M.A.K. (93) 258)

Citrate process

Gd<sub>1-x</sub>Sr<sub>x</sub>MnO<sub>3</sub>; Solid oxide fuel cell; Electrical conductivity; Thermal expansion coefficient; Reactivity; Cathodic polarization; Threephase boundary (Yoon, H.S. (93) 1)

Cobalt hydroxide

Cyclic voltammetry; Reaction mechanism; Oxidation to CoOOH; Reduction to Co; Galvanic cell; Double hydroxide principle (Elumalai, P. (93) 201)

Cobalt

Lithium-ion batteries; Cathodes; Aluminium; Nickel (Madhavi, S. (93) 156)

Carbon; Ruthenium oxide; Temperature treatment; Amorphous Ru oxide; Electroless deposition (Ramani, M. (93) 209)

Conductivity

Polymer electrolyte; Transport numbers; Electrochemical cells; Potassium bromate (Sreekanth, T. (93) 268)

Contact resistance

Lithium alloy anode; Electrochemical impedance spectroscopy (Wang, C. (93) 174)

Corrosion

Na/S battery; Metal sulfide (Okuyama, R. (93) 50)

Cyclic voltammetry

Cobalt hydroxide; Reaction mechanism; Oxidation to CoOOH; Reduction to Co; Galvanic cell; Double hydroxide principle (Elumalai, P. (93) 201)

Cyclic voltammetry

Nickel hydroxide; Nitrate bath (Jayashree, R.S. (93) 273)

In situ observation; EC-AFM; Lead-acid battery; Negative electrodes (Yamaguchi, Y. (93) 104)

Elsevier Science B.V. PII: S0378-7753(00)00671-6

## Cycling performance

Gel polymer electrolytes; Ionic conductivity; Lithium manganese oxide; Lithium polymer battery (Kim, D.-W. (93) 151)

## Design

AMTEC; Heat losses; Power output; Efficiency; Material; Power degradation (Lodhi, M.A.K. (93) 32)

Direct methanol and ethanol SOFCs

Ceria-salt composite ceramics; Intermediate temperature; SOFCs; Electrical vehicle (Zhu, B. (93) 82)

Discharge capacity

Battery; Emulsion; Lithium manganese oxide; Synthesis (Lu, C.-H. (93) 14)

Double hydroxide principle

Cobalt hydroxide; Cyclic voltammetry; Reaction mechanism; Oxidation to CoOOH; Reduction to Co; Galvanic cell (Elumalai, P. (93) 201)

## EC-AFM

In situ observation; Cyclic-voltammetry; Lead-acid battery; Negative electrodes (Yamaguchi, Y. (93) 104)

Efficiency

AMTEC; Heat losses; Power output; Design; Material; Power degradation (Lodhi, M.A.K. (93) 32)

AMTEC; Pressure losses; Power output; Chevron radiation shields (Lodhi, M.A.K. (93) 258)

Electric circuit simulation

Battery modeling; Battery simulation; Resistive companion modeling; Virtual test bed (Wu, B. (93) 186)

Electric vehicles

Metal requirement; Lithium batteries; Sodium/nickel chloride batteries; Nickel metal hydride batteries; Cadmium batteries; Lead-acid batteries (Råde, I. (93) 55)

Electrical conductivity

 $Gd_{1-x}Sr_xMnO_3$ ; Citrate process; Solid oxide fuel cell; Thermal expansion coefficient; Reactivity; Cathodic polarization; Three-phase boundary (Yoon, H.S. (93) 1)

Electrical vehicle

Ceria-salt composite ceramics; Intermediate temperature; SOFCs; Direct methanol and ethanol SOFCs (Zhu, B. (93) 82)

Electrochemical cells

Polymer electrolyte; Conductivity; Transport numbers; Potassium bromate (Sreekanth, T. (93) 268)

Electrochemical impedance spectroscopy

Lithium alloy anode; Contact resistance (Wang, C. (93) 174)

Electrochemical properties

Nanocrystalline; (Zr, Ti)(V, Cr, Ni)<sub>2.41</sub> alloy; Nickel-metal hydride battery (Majchrzycki, W. (93) 77)

Electrode current density

Power degradation; BASE (Lodhi, M.A.K. (93) 41)

Electroless deposition

Carbon; Ruthenium oxide; Temperature treatment; Composites; Amorphous Ru oxide (Ramani, M. (93) 209)

Electrolyte

Ceramic fuel cell; LaGaO<sub>3</sub>; Oxygen-ion conductivity; Association energy (Kim, S. (93) 279)

Electrolyte-supported fuel cell

Solid oxide fuel cell; Anode-supported fuel cell; Cathode-supported fuel cell; Sensitivity test (Chan, S.H. (93) 130)

Electron beam irradiation

Carbon electrode; Surface treatment; Lithium-ion battery (Endo, E. (93) 215)

Electrostatic spray deposition

LiMn<sub>2</sub>O<sub>4</sub>; Thin film; Impedance; Modeling (Mohamedi, M. (93) 93)

Battery; Lithium manganese oxide; Synthesis; Discharge capacity (Lu, C.-H. (93) 14)

Fuel cell stack

Fuel cell; PEMFC; Stack design; Fuel cell structures (Jiang, R. (93) 25)

Fuel cell structures

Fuel cell; PEMFC; Fuel cell stack; Stack design (Jiang, R. (93) 25) Fuel cell

PEMFC; Fuel cell stack; Stack design; Fuel cell structures (Jiang, R. (93) 25)

Galvanic cell

Cobalt hydroxide; Cyclic voltammetry; Reaction mechanism; Oxidation to CoOOH; Reduction to Co; Double hydroxide principle (Elumalai, P. (93) 201)

 $Gd_{1-x}Sr_xMnO_3$ 

Citrate process; Solid oxide fuel cell; Electrical conductivity; Thermal expansion coefficient; Reactivity; Cathodic polarization; Three-phase boundary (Yoon, H.S. (93) 1)

Gel polymer electrolytes

Cycling performance; Ionic conductivity; Lithium manganese oxide; Lithium polymer battery (Kim, D.-W. (93) 151)

Graphite

Carbon-coated; Lithium-ion battery (Wang, H. (93) 123)

Surface film; Lithiated graphite; Lithium intercalation (Fujimoto, H. (93) 224)

Heat dissipation

Lithium ion cell; Radiative calorimeter (Vaidyanathan, H. (93) 112)

Heat losses

AMTEC; Power output; Efficiency; Design; Material; Power degradation (Lodhi, M.A.K. (93) 32)

Impedance

LiMn<sub>2</sub>O<sub>4</sub>; Electrostatic spray deposition; Thin film; Modeling (Mohamedi, M. (93) 93)

In situ observation

EC-AFM; Cyclic-voltammetry; Lead-acid battery; Negative electrodes (Yamaguchi, Y. (93) 104)

Interfacial resistance

Lithium powder anode; Lithium foil anode; Lithium-polymer battery; Solid polymer electrolyte (Kwon, C.W. (93) 145)

Intermediate temperature

Ceria-salt composite ceramics; SOFCs; Direct methanol and ethanol SOFCs; Electrical vehicle (Zhu, B. (93) 82)

Ionic conductivity

Cycling performance; Gel polymer electrolytes; Lithium manganese oxide; Lithium polymer battery (Kim, D.-W. (93) 151)

Ionic resistance

Porous electrode; Batteries; Linear voltammetry (Jin, X. (93) 8)

LAB alloys

Lead acid battery (LAB); Lead dioxide; LAB positive plate; LAB cycle life; LAB charging mode (Dimitrov, M. (93) 234)

LAB charging mode

Lead acid battery (LAB); Lead dioxide; LAB positive plate; LAB cycle life; LAB alloys (Dimitrov, M. (93) 234)

LAB cycle life

Lead acid battery (LAB); Lead dioxide; LAB positive plate; LAB charging mode; LAB alloys (Dimitrov, M. (93) 234)

LAB positive plate

Lead acid battery (LAB); Lead dioxide; LAB cycle life; LAB charging mode; LAB alloys (Dimitrov, M. (93) 234)

LaGaO<sub>3</sub>

Ceramic fuel cell; Electrolyte; Oxygen-ion conductivity; Association energy (Kim, S. (93) 279)

Laves phase alloy

Activation; Surface treatment; Nickel-rich layer (Jiansheng, C. (93) 141)

Lead acid battery (LAB)

Lead dioxide; LAB positive plate; LAB cycle life; LAB charging mode; LAB alloys (Dimitrov, M. (93) 234)

Lead dioxide

Lead acid battery (LAB); LAB positive plate; LAB cycle life; LAB charging mode; LAB alloys (Dimitrov, M. (93) 234)

Lead-acid battery

Electric vehicles; Metal requirement; Lithium batteries; Sodium/nickel chloride batteries; Nickel metal hydride batteries; Cadmium batteries (Råde, I. (93) 55)

In situ observation; EC-AFM; Cyclic-voltammetry; Negative electrodes (Yamaguchi, Y. (93) 104)

Pb-Ca-Sn-Ce alloy; Cerium; Anodic Pb(II) film (Liu, H.-T. (93) 230)

LiMn<sub>2</sub>O<sub>4</sub>

Electrostatic spray deposition; Thin film; Impedance; Modeling (Mohamedi, M. (93) 93)

Linear voltammetry

Porous electrode; Ionic resistance; Batteries (Jin, X. (93) 8)

Surface treatment; Plasma CVD; Amorphous carbon; Lithium-ion battery (Endo, E. (93) 87)

Lithiated graphite

Graphite; Surface film; Lithium intercalation (Fujimoto, H. (93) 224)

Lithium alloy anode

Electrochemical impedance spectroscopy; Contact resistance (Wang, C. (93) 174)

Lithium batteries

Electric vehicles; Metal requirement; Sodium/nickel chloride batteries; Nickel metal hydride batteries; Cadmium batteries; Lead-acid batteries (Råde, I. (93) 55)

Lithium foil anode

Lithium powder anode; Lithium-polymer battery; Solid polymer electrolyte; Interfacial resistance (Kwon, C.W. (93) 145)

Lithium intercalation

Graphite; Surface film; Lithiated graphite (Fujimoto, H. (93) 224) Lithium ion cell

Heat dissipation; Radiative calorimeter (Vaidyanathan, H. (93) 112) Lithium manganese oxide

Battery; Emulsion; Synthesis; Discharge capacity (Lu, C.-H. (93) 14) Lithium manganese oxide

Cycling performance; Gel polymer electrolytes; Ionic conductivity; Lithium polymer battery (Kim, D.-W. (93) 151)

Lithium polymer battery

Cycling performance; Gel polymer electrolytes; Ionic conductivity; Lithium manganese oxide (Kim, D.-W. (93) 151)

Lithium powder anode

Lithium foil anode; Lithium-polymer battery; Solid polymer electrolyte; Interfacial resistance (Kwon, C.W. (93) 145)

Lithium-ion batteries

Cathodes; Aluminium; Nickel; Cobalt (Madhavi, S. (93) 156)

Carbon-coated; Graphite (Wang, H. (93) 123)

Electron beam irradiation; Carbon electrode; Surface treatment (Endo, E. (93) 215)

LiNiO<sub>2</sub>; Surface treatment; Plasma CVD; Amorphous carbon (Endo, E. (93) 87)

Lithium-polymer battery

Lithium powder anode; Lithium foil anode; Solid polymer electrolyte; Interfacial resistance (Kwon, C.W. (93) 145)

Material

AMTEC; Heat losses; Power output; Efficiency; Design; Power degradation (Lodhi, M.A.K. (93) 32)

Memory effect

Alkaline secondary battery; Nickel–cadmium battery; Nickel–hydrogen battery; γ-Oxy-nickel hydroxide (Sato, Y. (93) 20)

Metal requirement

Electric vehicles; Lithium batteries; Sodium/nickel chloride batteries; Nickel metal hydride batteries; Cadmium batteries; Lead-acid batteries (Råde, I. (93) 55)

Metal sulfide

Na/S battery; Corrosion (Okuyama, R. (93) 50)

Modeling

LiMn<sub>2</sub>O<sub>4</sub>; Electrostatic spray deposition; Thin film; Impedance (Mohamedi, M. (93) 93)

Na/S battery

Corrosion; Metal sulfide (Okuyama, R. (93) 50)

Nanocrystalline

(Zr, Ti)(V, Cr, Ni)<sub>2.41</sub> alloy; Nickel-metal hydride battery; Electrochemical properties (Majchrzycki, W. (93) 77)

Negative electrodes

In situ observation; EC-AFM; Cyclic-voltammetry; Lead-acid battery (Yamaguchi, Y. (93) 104)

Nickel electrode

Alkaline batteries; Positive electrode (Freitas, M.B.J.G. (93) 163)

Nickel hydroxide

Cyclic voltammetry; Nitrate bath (Jayashree, R.S. (93) 273)

Nickel metal hydride batteries

Electric vehicles; Metal requirement; Lithium batteries; Sodium/nickel chloride batteries; Cadmium batteries; Lead-acid batteries (Råde, I. (93) 55)

Nickel

Lithium-ion batteries; Cathodes; Aluminium; Cobalt (Madhavi, S. (93) 156)

Nickel-cadmium battery

Memory effect; Alkaline secondary battery; Nickel-hydrogen battery; γ-Oxy-nickel hydroxide (Sato, Y. (93) 20)

Nickel-hydrogen battery

Memory effect; Alkaline secondary battery; Nickel–cadmium battery; γ-Oxy-nickel hydroxide (Sato, Y. (93) 20)

Nickel-metal hydride battery

Nanocrystalline; (Zr, Ti)(V, Cr, Ni)<sub>2.41</sub> alloy; Electrochemical properties (Majchrzycki, W. (93) 77)

Nickel-rich layer

Laves phase alloy; Activation; Surface treatment (Jiansheng, C. (93) 141) Nitrate bath

Nickel hydroxide; Cyclic voltammetry (Jayashree, R.S. (93) 273)

Oxidation to CoOOH

Cobalt hydroxide; Cyclic voltammetry; Reaction mechanism; Reduction to Co; Galvanic cell; Double hydroxide principle (Elumalai, P. (93) 201)

γ-Oxy-nickel hydroxide

Memory effect; Alkaline secondary battery; Nickel-cadmium battery; Nickel-hydrogen battery (Sato, Y. (93) 20)

Oxygen-ion conductivity

Ceramic fuel cell; LaGaO<sub>3</sub>; Electrolyte; Association energy (Kim, S. (93) 279)

Pb-Ca-Sn-Ce alloy

Lead-acid battery; Cerium; Anodic Pb(II) film (Liu, H.-T. (93) 230) PEMFC

Fuel cell; Fuel cell stack; Stack design; Fuel cell structures (Jiang, R. (93) 25)

Plasma CVD

LiNiO<sub>2</sub>; Surface treatment; Amorphous carbon; Lithium-ion battery (Endo, E. (93) 87)

Polymer electrolyte

Conductivity; Transport numbers; Electrochemical cells; Potassium bromate (Sreekanth, T. (93) 268)

Porous electrode

Ionic resistance; Batteries; Linear voltammetry (Jin, X. (93) 8)

Positive electrode

Nickel electrode; Alkaline batteries (Freitas, M.B.J.G. (93) 163)

Potassium bromate

Polymer electrolyte; Conductivity; Transport numbers; Electrochemical cells (Sreekanth, T. (93) 268)

Power degradation

AMTEC; Heat losses; Power output; Efficiency; Design; Material (Lodhi, M.A.K. (93) 32)

BASE; Electrode current density (Lodhi, M.A.K. (93) 41)

Power output

AMTEC; Heat losses; Efficiency; Design; Material; Power degradation (Lodhi, M.A.K. (93) 32)

AMTEC; Pressure losses; Efficiency; Chevron radiation shields (Lodhi, M.A.K. (93) 258)

Pressure losses

AMTEC; Power output; Efficiency; Chevron radiation shields (Lodhi, M.A.K. (93) 258)

Radiative calorimeter

Heat dissipation; Lithium ion cell (Vaidyanathan, H. (93) 112)

Reaction mechanism

Cobalt hydroxide; Cyclic voltammetry; Oxidation to CoOOH; Reduction to Co; Galvanic cell; Double hydroxide principle (Elumalai, P. (93) 201)

Reactivity

Gd<sub>1-x</sub>Sr<sub>x</sub>MnO<sub>3</sub>; Citrate process; Solid oxide fuel cell; Electrical conductivity; Thermal expansion coefficient; Cathodic polarization; Three-phase boundary (Yoon, H.S. (93) 1)

Reduction to Co

Cobalt hydroxide; Cyclic voltammetry; Reaction mechanism; Oxidation to CoOOH; Galvanic cell; Double hydroxide principle (Elumalai, P. (93) 201)

Resistive companion modeling

Battery modeling; Battery simulation; Electric circuit simulation; Virtual test bed (Wu, B. (93) 186)

Ruthenium oxide

Carbon; Temperature treatment; Composites; Amorphous Ru oxide; Electroless deposition (Ramani, M. (93) 209)

Sensitivity test

Solid oxide fuel cell; Anode-supported fuel cell; Cathode-supported fuel cell; Electrolyte-supported fuel cell (Chan, S.H. (93) 130)

Sodium/nickel chloride batteries

Electric vehicles; Metal requirement; Lithium batteries; Nickel metal hydride batteries; Cadmium batteries; Lead-acid batteries (Råde, I. (93) 55)

**SOFCs** 

Ceria-salt composite ceramics; Intermediate temperature; Direct methanol and ethanol SOFCs; Electrical vehicle (Zhu, B. (93) 82)

Solid oxide fuel cell

Anode-supported fuel cell; Cathode-supported fuel cell; Electrolyte-supported fuel cell; Sensitivity test (Chan, S.H. (93) 130)

Gd<sub>1-x</sub>Sr<sub>x</sub>MnO<sub>3</sub>; Citrate process; Electrical conductivity; Thermal expansion coefficient; Reactivity; Cathodic polarization; Threephase boundary (Yoon, H.S. (93) 1)

Solid polymer electrolyte

Lithium powder anode; Lithium foil anode; Lithium-polymer battery; Interfacial resistance (Kwon, C.W. (93) 145)

Stack design

Fuel cell; PEMFC; Fuel cell stack; Fuel cell structures (Jiang, R. (93) 25)

Surface film

Graphite; Lithiated graphite; Lithium intercalation (Fujimoto, H. (93) 224)

Surface treatment

Electron beam irradiation; Carbon electrode; Lithium-ion battery (Endo, E. (93) 215)

Laves phase alloy; Activation; Nickel-rich layer (Jiansheng, C. (93) 141)

LiNiO<sub>2</sub>; Plasma CVD; Amorphous carbon; Lithium-ion battery (Endo, E. (93) 87)

Synthesis

Battery; Emulsion; Lithium manganese oxide; Discharge capacity (Lu, C.-H. (93) 14)

Temperature treatment

Carbon; Ruthenium oxide; Composites; Amorphous Ru oxide; Electroless deposition (Ramani, M. (93) 209)

Thermal expansion coefficient

Gd<sub>1-x</sub>Sr<sub>x</sub>MnO<sub>3</sub>; Citrate process; Solid oxide fuel cell; Electrical conductivity; Reactivity; Cathodic polarization; Three-phase boundary (Yoon, H.S. (93) 1)

Thermoelectric generators

(Esarte, J. (93) 72)

Thin film

 $LiMn_2O_4$ ; Electrostatic spray deposition; Impedance; Modeling (Mohamedi, M. (93) 93)

Three-phase boundary

Gd<sub>1-x</sub>Sr<sub>x</sub>MnO<sub>3</sub>; Citrate process; Solid oxide fuel cell; Electrical conductivity; Thermal expansion coefficient; Reactivity; Cathodic polarization (Yoon, H.S. (93) 1)

Transport numbers

Polymer electrolyte; Conductivity; Electrochemical cells; Potassium bromate (Sreekanth, T. (93) 268)

Virtual test bed

Battery modeling; Battery simulation; Electric circuit simulation; Resistive companion modeling (Wu, B. (93) 186)

(Zr, Ti)(V, Cr, Ni)<sub>2.41</sub> alloy

Nanocrystalline; Nickel-metal hydride battery; Electrochemical properties (Majchrzycki, W. (93) 77)